



kramer

CLS-AOCH/60F

High-Speed HDMI Optic Hybrid Cable —
LSHF



CLS-AOCH/60F is an innovative active optical HDMI cable for 4K signals up to 90 meters (295ft). CLS-AOCH/60F cables are thinner, lighter, and more flexible than copper or even standard optical cables. They offer transparent EDID and HDCP support with no signal attenuation and reduced risk of EMI and RFI interference. CLS-AOCH/60F cables are an ideal solution for maximizing signal integrity in critical AV installations

FEATURES

Video Resolution - Up to 4K@60Hz (4:4:4)

High Data Transfer Rate - Up to 18Gbps

Embedded Audio - PCM 8-channel, Dolby Digital True HD and DTS-HD Master Audio

HDMI Support - HDCP 2.2/1.4, HDR, EDID, ARC and CEC

High-Quality Connectors - 24K gold-plated, corrosion-resistant and best possible connectivity

Reduced EMI & RFI

Thin Construction - 4.5mm diameter

Jacket Construction - Low smoke & halogen free

RoHS 2011/65/EU CE,FCC Compliant

Varied Selection of Lengths - Available in versions from 10 to 90m (33 to 295ft)



kramer

TECHNICAL SPECIFICATIONS

| | |
|--|--|
| Video | Max Resolution: 4K@60Hz Supported Color Spaces: RGB, YCbCr, xvYCC, Adobe sRGB, sYCC601, BT.2020 HDMI Support: HDR, HDCP 2.2/1.4, EDID and CEC, ARC |
| Audio | Supported Audio Formats: Dolby Digital Plus™, Dolby TrueHD™, DTS–HD Master Audio™, DVD Audio, SA–CD |
| PHYSICAL | HDMI Source: On a male HDMI type A, 24K gold–plated K–Lock connector HDMI Display: On a male HDMI type A, 24K gold–plated K–Lock connector |
| General | Cable Type: Hybrid with OM3 fiber and copper wire O/E Converter: 4 channel 850 nm VCSEL array Material: Bare Copper Flammability: LSHF |
| MECHANICAL | Cable Bending Radius: 20mm |
| JACKET | Color: Black Diameter : 4.5mm |
| Power | Consumption: 250mW (max) |
| Environmental Conditions | Operating Temperature: 50°C Storage Temperature: –40–70°C |
| STANDARDS COMPLIANCE - EC VERIFIED | Safety: CE/FCC |
| Regulatory Compliance (Standards Compliance) | Environmental: REACH,RoHS 2011/65/ EU |



kramer

CONFIGURATIONS

| | |
|------------------|---|
| CLS-AOCH/60F-33 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-50 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-66 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-98 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-131 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-164 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-197 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-230 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-262 | High-Speed HDMI Optic Hybrid Cable — LSHF |
| CLS-AOCH/60F-295 | High-Speed HDMI Optic Hybrid Cable — LSHF |